



Volvo Group Trucks Technology

## STD 417-0002 approval request

### Data supplied by requesting company

Company name:*	WOLF OIL CORPORATION N.V.
Brand name:*	WOLF ECOTECH 5W30 ULTRA
Oil code:	1215
Viscosity grade:	5W-30
Marketing area:	Worldwide
Other approvals:	ACEA E4-08, E7-08
	API
	OEM MB 228.5, MAN M 3277

\*) As they shall appear in approved products lists

**Date of submission** 4-Jul-14

### **Submitted by**

Name: Philippe De Ridder  
Company: Wolf Oil Corporation N.V.

### **Return approval to:**

Name: Katleen Adriaenssens  
e-mail: [katleen.adriaenssens@wolfoil.com](mailto:katleen.adriaenssens@wolfoil.com)


### Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

**Approval date:** August 13, 2014      **Approval #:** 417-0002-14-1010

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date  $\pm$  two months.

**Signed:** Volvo Group Trucks Technology

  
Bengt Otterholm  
Lubricants Coordinator

**Disclaimer:** This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



Volvo Group Trucks Technology

## STD 417-0002 approval request

### Data supplied by requesting company

Company name:*	WOLF OIL CORPORATION N.V.
Brand name:*	WOLF VITALTECH 10W40 ULTRA
Oil code:	1227
Viscosity grade:	10W-40
Marketing area:	Worldwide
Other approvals:	ACEA E-7
	API
	OEM MB 228.5

\*) As they shall appear in approved products lists

**Date of submission** 4-Jul-14

### Submitted by

Name: Philippe De Ridder  
Company: Wolf Oil Corporation N.V.

### Return approval to:

Name: Katleen Adriaenssens  
e-mail: [katleen.adriaenssens@wolfoil.com](mailto:katleen.adriaenssens@wolfoil.com)


### Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

**Approval date:** August 13, 2014      **Approval #:** 417-0002-14-442

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

**Signed:** Volvo Group Trucks Technology

  
Bengt Otterholm  
Lubricants Coordinator

**Disclaimer:** This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



Volvo Group Trucks Technology

## STD 417-0002 approval request

### Data supplied by requesting company

Company name:*	WOLF OIL CORPORATION N.V.
Brand name:*	WOLF VITALTECH 10W40
Oil code:	14626
Viscosity grade:	10W-40
Marketing area:	Worldwide
Other approvals:	ACEA E7-08 # 2
	API CI-4/SL
	OEM MB 228.3 / MAN M 3275-1

\*) As they shall appear in approved products lists

**Date of submission** 4-Jul-14

### Submitted by

Name: Philippe De Ridder  
Company: Wolf Oil Corporation N.V.

### Return approval to:

Name: Katleen Adriaenssens  
e-mail: [katleen.adriaenssens@wolfoil.com](mailto:katleen.adriaenssens@wolfoil.com)

### Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

**Approval date:** August 13, 2014      **Approval #:** 417-0002-14-440

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date  $\pm$  two months.

**Signed:** Volvo Group Trucks Technology

Bengt Otterholm  
Lubricants Coordinator

**Disclaimer:** This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



Volvo Group Trucks Technology

## STD 417-0002 approval request

### Data supplied by requesting company

Company name:*	WOLF OIL CORPORATION N.V.
Brand name:*	WOLF VITALTECH 15W40
Oil code:	14636
Viscosity grade:	15W-40
Marketing area:	Worldwide
Other approvals:	ACEA E7-08 # 2
	API CI-4/SL
	OEM MB 228.3 / MAN M 3275-1

\*) As they shall appear in approved products lists

**Date of submission** 4-Jul-14

### Submitted by

Name: Philippe De Ridder  
Company: Wolf Oil Corporation N.V.

### Return approval to:

Name: Katleen Adriaenssens  
e-mail: [katleen.adriaenssens@wolfoil.com](mailto:katleen.adriaenssens@wolfoil.com)

### Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

**Approval date:** August 13, 2014      **Approval #:** 417-0002-14-438

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

**Signed:** Volvo Group Trucks Technology

  
Bengt Otterholm  
Lubricants Coordinator

**Disclaimer:** This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



Volvo Group Trucks Technology

## STD 417-0001 approval request

### Data supplied by requesting company

Company name:*	WOLF OIL CORPORATION N.V.
Brand name:*	WOLF OFFICIALTECH 10W30 MS
Oil code:	15725
Viscosity grade:	10W-30
Marketing area:	Worldwide
Other approvals:	ACEA E9-08 # 2, E7-08 # 2
	API CJ-4/SM
	OEM CES 20081, MB 228.31

\*) As they shall appear in approved products lists

**Date of submission** 4-Jul-14

### Submitted by

Name: Philippe De Ridder  
Company: Wolf Oil Corporation N.V.

### Return approval to:

Name: Katleen Adriaenssens  
e-mail: [katleen.adriaenssens@wolfoil.com](mailto:katleen.adriaenssens@wolfoil.com)

### Approval

Volvo VDS-4 approval	Yes
Mack EO-O Premium Plus approval	Yes
Renault VI RLD-3 approval	Yes

**Approval date:** August 13, 2014      **Approval #:** 417-0001-14-452

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

**Signed:** Volvo Group Trucks Technology

Bengt Otterholm  
Lubricants Coordinator



Volvo Group Trucks Technology

## STD 417-0001 approval request

### Data supplied by requesting company

Company name:*	WOLF OIL CORPORATION N.V.
Brand name:*	WOLF OFFICIALTECH 15W40 MS
Oil code:	15736
Viscosity grade:	15W-40
Marketing area:	Worldwide
Other approvals:	ACEA E9-08 #2, E7-08 #2
	API CJ-4
	OEM Mack EO-O Premium Plus; Renault VI RLD-3

\*) As they shall appear in approved products lists

**Date of submission** 4-Jul-14

### Submitted by

Name: Philippe De Ridder  
Company: Wolf Oil Corporation N.V.

### Return approval to:

Name: Katleen Adriaenssens  
e-mail: [katleen.adriaenssens@wolfoil.com](mailto:katleen.adriaenssens@wolfoil.com)

### Approval

Volvo VDS-4 approval	Yes
Mack EO-O Premium Plus approval	Yes
Renault VI RLD-3 approval	Yes

**Approval date:** August 13, 2014      **Approval #:** 417-0001-14-437

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date  $\pm$  two months.

**Signed:** Volvo Group Trucks Technology

Bengt Otterholm  
Lubricants Coordinator



Volvo Group Trucks Technology

## STD 417-0002 approval request

### Data supplied by requesting company

Company name:*	WOLF OIL CORPORATION N.V.	
Brand name:*	WOLF OFFICIALTECH 10W40 S2	
Oil code:	1627	(OR-F54620F-O)
Viscosity grade:	10W-40	
Marketing area:	Worldwide	
Other approvals:	ACEA	E-7
	API	
	OEM	MB 228.5

\*) As they shall appear in approved products lists

**Date of submission** 4-Jul-14

### Submitted by

Name: Philippe De Ridder  
Company: Wolf Oil Corporation N.V.

### Return approval to:

Name: Katleen Adriaenssens  
e-mail: [katleen.adriaenssens@wolfoil.com](mailto:katleen.adriaenssens@wolfoil.com)

### Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

**Approval date:** August 13, 2014      **Approval #:** 417-0002-14-484

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

**Signed:** Volvo Group Trucks Technology



Bengt Otterholm  
Lubricants Coordinator

**Disclaimer:** This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



Volvo Group Trucks Technology

## STD 417-0002 approval request

### Data supplied by requesting company

Company name:*	WOLF OIL CORPORATION N.V.
Brand name:*	WOLF OFFICIALTECH 10W40 S3
Oil code:	1727
Viscosity grade:	10W-40
Marketing area:	Worldwide
Other approvals:	ACEA E4-08, E7-08
	API CF
	OEM MB 228.5, MAN M 3277, Scania LDF-3, MTU Category 3, DQC III-10

\*) As they shall appear in approved products lists

**Date of submission** 4-Jul-14

### **Submitted by**

Name: Philippe De Ridder  
Company: Wolf Oil Corporation N.V.

### **Return approval to:**


Name: Katleen Adriaenssens  
e-mail: [katleen.adriaenssens@wolfoil.com](mailto:katleen.adriaenssens@wolfoil.com)

### Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

**Approval date:** August 13, 2014      **Approval #:** 417-0002-14-446

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

**Signed:** Volvo Group Trucks Technology  
  
Bengt Otterholm  
Lubricants Coordinator

**Disclaimer:** This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).





Volvo Group Trucks Technology

## STD 417-0002 approval request

### Data supplied by requesting company

Company name:*	WOLF OIL CORPORATION N.V.
Brand name:*	WOLF OFFICIALTECH 10W40 ULTRA MS
Oil code:	65603
Viscosity grade:	10W-40
Marketing area:	Worldwide
Other approvals:	ACEA E6-E7-10
	API CI-4
	OEM MB 228.51, MAN M3477, MTU Type 3.1, Deutz DQC III-10

\*) As they shall appear in approved products lists

**Date of submission** 4-Jul-14

### Submitted by

Name: Philippe De Ridder  
Company: Wolf Oil Corporation N.V.

### Return approval to:

Name: Katleen Adriaenssens  
e-mail: [katleen.adriaenssens@wolfoil.com](mailto:katleen.adriaenssens@wolfoil.com)

### Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

**Approval date:** August 13, 2014      **Approval #:** 417-0002-14-455

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

**Signed:** Volvo Group Trucks Technology

  
Bengt Otterholm  
Lubricants Coordinator

**Disclaimer:** This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



Volvo Group Trucks Technology

## STD 417-0002 approval request

### Data supplied by requesting company

Company name:*	WOLF OIL CORPORATION N.V.
Brand name:*	WOLF OFFICIALTECH 5W30 ULTRA MS
Oil code:	65611
Viscosity grade:	5W-30
Marketing area:	Worldwide
Other approvals:	ACEA E6-08 Issue2, E7-08 Issue 2
	API CI-4
	OEM MB 228.51, M3477, MTU Type 3.1, RXD, RLD-2

\*) As they shall appear in approved products lists

**Date of submission** 4-Jul-14

### **Submitted by**

Name: Philippe De Ridder  
 Company: Wolf Oil Corporation N.V.

### **Return approval to:**

Name: Katleen Adriaenssens  
 e-mail: [katleen.adriaenssens@wolfoil.com](mailto:katleen.adriaenssens@wolfoil.com)


### Approval

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault VI RLD-2 approval	Yes

**Approval date:** August 28, 2014      **Approval #:** 417-0002-14-444

**Validity:** Approval expires two years after the approval date.  
 For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

**Signed:** Volvo Group Trucks Technology

  
 Bengt Otterholm  
 Lubricants Coordinator

**Disclaimer:** This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).



Volvo Group Trucks Technology

## STD 417-0001 approval request

### Data supplied by requesting company

Company name:*	WOLF OIL CORPORATION N.V.
Brand name:*	WOLF OFFICIALTECH 5W30 UHPD
Oil code:	OS244959
Viscosity grade:	SAE 5W-30
Marketing area:	Worldwide
Other approvals:	ACEA E6-08 ISSUE 2, E7-08 ISSUE 2, E9-08 ISSUE 2, API CJ-4 OEM MB 228.31, MB 228.51, M3575, MTU 3.1, RLD-2, RXD, DQC IV-10LA

**Date of submission** 28-Jan-13

### **Submitted by**

Name: Philippe De Ridder  
Company: Wolf Oil Corporation N.V.

### **Return approval to:**

Name: Katleen Adriaenssens  
e-mail: [katleen.adriaenssens@wolfoil.com](mailto:katleen.adriaenssens@wolfoil.com)

### Approval

Volvo VDS-4 approval	Yes
Mack EO-O Premium Plus approval	Yes
Renault VI RLD-3 approval	Yes

**Approval date:** January 30, 2014      **Approval #:** 417-0001-14-625

**Validity:** Approval expires two years after the approval date.  
For approval extension, a complete and updated approval form must be submitted at the expiry date  $\pm$  two months.

**Signed:** Volvo Group Trucks Technology

Bengt Otterholm  
Lubricants Coordinator